

The American Midland Naturalist

Founded by J. A. Nieuwland, C.S.C.

Editor

Robert P. McIntosh

ASSOCIATE EDITORS

| | |
|--|----------------------------|
| Michael S. Adams, Madison, Wisconsin..... | Plant Physiology |
| Kraig Adler, Ithaca, New York..... | Herpetology |
| Norman L. Christensen, Durham, North Carolina..... | Plant Ecology |
| Melinda F. Denton, Seattle, Washington..... | Systematic Botany |
| Lee C. Drickamer, Williamstown, Massachusetts..... | Animal Behavior |
| Gerald W. Esch, Winston-Salem, North Carolina..... | Parasitology |
| Joseph Grossfield, New York, New York..... | Genetics and Cytology |
| Frances C. James, Tallahassee, Florida | Animal Ecology |
| Thomas H. Kunz, Boston, Massachusetts..... | Mammalogy |
| Rosemary J. Mackay, Toronto, Ont., Canada..... | Limnology and Hydrobiology |
| Richard W. Merritt, East Lansing, Michigan..... | Entomology |
| Bertram G. Murray, Jr., New Brunswick, New Jersey..... | Ornithology |
| R. L. Pardy, Lincoln, Nebraska..... | Invertebrate Zoology |
| James D. Williams, Washington, D.C..... | Ichthyology |

Vol. 103, 1980

(January, April)

Dates of Publication

No. 1 January 28, 1980

No. 2 April 29, 1980

PUBLISHED BY THE UNIVERSITY OF NOTRE DAME

NOTRE DAME, INDIANA

CONTENTS

No. 1, January, 1980

| | | |
|--|---|-----|
| Ecology of a Maryland Population of Black Rat Snakes (<i>Elaphe o. obsoleta</i>)..... | Lucille F. Stickel, William H. Stickel and Frederick C. Schmid | 1 |
| Interspecific Interactions Among Gastrointestinal Helminths in Pikas of North America..... | Russell P. Hobbs | 15 |
| Dispersion and Numbers in <i>Peromyscus</i> Populations..... | Lee H. Metzgar | 26 |
| Meadow Vole Population Response to Vegetational Changes Resulting from 2,4-D Application..... | Stephen R. Spencer and Gary W. Barrett | 32 |
| Demographic Studies of Sympatric <i>Sigmodon hispidus</i> and <i>Reithrodontomys fulvescens</i> (Rodentia)..... | James Joule and Guy N. Cameron | 47 |
| The Effects of Loblolly Pine Plantations on Small Mammal Populations..... | Albert K. Langley, Jr. and Donald J. Shure | 59 |
| A Laboratory Study of Climbing Behavior in 11 Species of Muroid Rodents | Donald A. Dewsbury, David L. Lanier and Alexandra Miglietta | 66 |
| Genic Relationships in the White-footed Mouse, <i>Peromyscus leucopus</i> , and the Cotton Mouse, <i>Peromyscus gossypinus</i> | Phyllis K. Price and Michael L. Kennedy | 73 |
| Belowground Biomass of Four Plant Communities of the Great Dismal Swamp, Virginia..... | Katherine A. Montague and Frank P. Day, Jr. | 83 |
| An Evaluation of Summer Deciduousness in <i>Lotus scoparius</i> Nutt. (T. & G.)..... | Erik T. Nilsen and W. H. Muller | 88 |
| Vegetative Structure of an Appalachian Oak Forest in Southwestern Virginia | Thomas J. McEvoy, Terry L. Sharik and David Wm. Smith | 96 |
| The Effects of Ragweed (<i>Ambrosia artemisiifolia</i> L.) on Nutrient Cycling in a 1st-year Old Field..... | Margaret Mead Foster, Peter M. Vitousek and Polley Ann Randolph | 106 |
| The Nutrient Content of Precipitation, Dry Fallout, and Intercepted Aerosols in the Chaparral of Southern California..... | William H. Schlesinger and Mavis M. Hasey | 114 |
| Periodicity of Crustaceans in a Saline Prairie Stream of Alberta, Canada | John T. Retallack and Hugh F. Clifford | 123 |
| The Caudal Skeletons of Catostomid Fishes..... | Joseph T. Eastman | 133 |
| Effects of Abnormal Thermal Stratification on a Reservoir Benthic Macroinvertebrate Community..... | C. M. Cooper | 149 |
| Habitat and Seasonal Relationships of Some Cicadas (Homoptera: Cicadidae) in Central Costa Rica..... | Allen M. Young | 155 |
| Comparative Biology of the Common Utah Hydropsychidae (Trichoptera) | D. N. Alstad | 167 |

Notes and Discussion

| | | |
|---|--|-----|
| Maternal Diet Selectivity in <i>Calypte anna</i> | F. Lynn Carpenter and Jeffrey L. Castronova | 175 |
| Field Observations on Hybrids between <i>Ambrosia bidentata</i> and <i>A. trifida</i> (Compositae)..... | Yoo Sung Lee and David B. Dickinson | 180 |
| Ectoparasites and Feeding Behavior of the Blacknose Dace, <i>Rhinichthys atratulus</i> (Cyprinidae: Cypriniformes) Hermann..... | J. Rollwagen and D. Stainken | 185 |
| Subterranean Behavior of the Adult Thirteen-lined Ground Squirrel (<i>Spermophilus tridecemlineatus</i>)..... | Stephen H. Scheck and Eugene D. Fleharty | 191 |
| Autumn Flocking of Red-winged Blackbirds in Relation to Agricultural Variables..... | Charles P. Stone and Charles R. Danner | 196 |
| Observations on Coyote-Mule Deer Interactions at Rocky Flats, Colorado..... | A. William Alldredge and W. John Arthur, III | 200 |
| Mass Predation on a Population of the American Toad, <i>Bufo americanus</i> | John D. Groves | 202 |

| | |
|--|-----|
| Climatic Factors Related to the Range of Saw-Palmetto (<i>Serenoa repens</i> (Bartr.) Small)..... | 204 |
|W. Henry McNab and M. Boyd Edwards, Jr. | |

CONTENTS

No. 2, April, 1980

| | |
|--|-----|
| Temperature and Substrate Influences on Habitat Selection in Two Pleurocerid Snails (<i>Goniobasis</i>)..... | 209 |
|Martha J. Ross and Gordon R. Ultsch | |
| Variation of Thermal Tolerance Limits in Populations of <i>Physa virgata</i> Gould (Mollusca:Pulmonata)..... | 218 |
|Robert F. McMahon and Berry S. Payne | |
| The Burrow Habitat of the Crayfish, <i>Cambarus diogenes</i> (Girard)..... | 231 |
|Linda Grow and Henry Merchant | |
| Energy Flow through the Fiddler Crabs <i>Uca pugnax</i> and <i>U. minax</i> and the Marsh Periwinkle <i>Littorina irrorata</i> in a North Carolina Salt Marsh..... | 238 |
|Leon M. Cammen, Ernest D. Seneca and Linda M. Stroud | |
| Structure and Productivity of <i>Juniperus occidentalis</i> in Central Oregon..... | 251 |
|H. L. Gholz | |
| Floral Biology of <i>Markea neurantha</i> Hemsley (Solanaceae), a Bat-pollinated Epiphyte..... | 262 |
|Robert Voss, Melvin Turner, Richard Inouye, Martha Fisher and Robin Cort | |
| The Maintenance of the Gynodioecious Breeding System in <i>Plantago lanceolata</i> L..... | 269 |
|David T. Krohne, Irene Baker and Herbert G. Baker | |
| The Environment of <i>Chamaecyparis lawsoniana</i> | 280 |
|Donald B. Zobel and Glenn M. Hawk | |
| Composition and Net Primary Production of Native Prairies in Eastern Arkansas..... | 298 |
|Robert S. Irving, Susan Brenholts and Thomas Foti | |
| Patterns of Dioecism in the Flora of the Carolinas..... | 310 |
|J. S. Conn, T. R. Wentworth and U. Blum | |
| Vertical Migration of Zooplankton in the Gulf of Finland..... | 316 |
|John E. Burris | |
| Fossil Diatom Assemblages After European Settlement from Four Lakes in Lake and Newaygo Counties, Michigan (USA)..... | 322 |
|Gretchen Schuette and Robert E. Bailey | |
| Population Dynamics and Coevolution of Adult Siphonapteran Parasites of the Southern Flying Squirrel (<i>Glaucomys volans volans</i>)..... | 333 |
|Jonathan F. Day and Allen H. Benton | |
| Reproductive Behavior in the Least Shrew (<i>Cryptotis parva</i>) with Special Reference to the Aural Glandular Region of the Female..... | 339 |
|V. Keith Kivett and Orin B. Mock | |
| Responses of Naive Temperate Birds to Warning Coloration..... | 346 |
|Susan M. Smith | |
| The Reproductive Biology of <i>Gopherus polyphemus</i> (Chelonia:Testudinidae)..... | 353 |
|John B. Iverson | |
| Population Dynamics of <i>Bothrioccephalus rarus</i> (Cestoda) in <i>Notophthalmus viridescens</i> | 360 |
|Edward L. Jarroll, Jr. | |
| Monokaryotic Fruiting in <i>Schizophyllum commune</i> : Survey of a Population from Wisconsin..... | 367 |
|John F. Leslie and Thomas J. Leonard | |
| Diapause Dynamics and Host Plant Suitability of <i>Papilio zelicaon</i> (Lepidoptera:Papilionidae)..... | 375 |
|Steven R. Sims | |
| Submergence Behavior in Gerris: Underwater Basking..... | 385 |
|J. R. Spence, D. Hughes Spence and G. G. E. Scudder | |
| Notes & Discussion | |
| Climates of Vegetation Types of the Northern Rocky Mountains and Adjacent Plains..... | 392 |
|T. Weaver | |
| Behavior of an Urban Coyote..... | 399 |
|William F. Andelt and Brian R. Mahan | |
| Population Fluctuations of the Prawn, <i>Palaemonetes paludosus</i> , in the Everglades..... | 401 |
|James A. Kushlan and Marilyn S. Kushlan | |

| | | |
|---|---|-----|
| Current Distribution and Potential for Dispersal of White Perch (<i>Morone americana</i>) in Nebraska and Adjacent Waters..... | Gary L. Hergenrader | 404 |
| A Winter Food Cache of <i>Microtus pennsylvanicus</i> | J. Edward Gates and Donna M. Gates | 407 |
| Burrow System Use by Red Squirrels..... | Richard H. Yahner | 409 |
| Terrestrial Activity, Abundance and Diversity of Amphibians in Differently Managed Forest Types..... | Stephen H. Bennett, J. Whitfield Gibbons and Jill Glanville | 412 |

Author Index

| | | | |
|-----------------------------|-----|------------------------------|-----|
| Aldredge, A. William | 200 | Inouye, Richard | 262 |
| Alstad, D. N. | 167 | Irving, Robert S. | 298 |
| Andelt, William F. | 399 | Iverson, John B. | 353 |
| Arthur, W. John, III | 200 | Jarroll, Edward L., Jr. | 360 |
| Bailey, Robert E. | 322 | Joule, James | 47 |
| Baker, Herbert G. | 269 | Kennedy, Michael L. | 73 |
| Baker, Irene | 269 | Kivett, V. Keith | 339 |
| Barrett, Gary W. | 32 | Krohne, David T. | 269 |
| Bennett, Stephen H. | 412 | Kushlan, James A. | 401 |
| Benton, Allen H. | 333 | Kushlan, Marilyn S. | 401 |
| Blum, U. | 310 | Lamier, David L. | 66 |
| Brenholts, Susan | 298 | Langley, Albert K., Jr. | 59 |
| Burris, John E. | 316 | Lee, Yoo Sung | 180 |
| Cameron, Guy N. | 47 | Leonard, Thomas J. | 367 |
| Cammen, Leon M. | 238 | Leslie, John F. | 367 |
| Carpenter, F. Lynn | 175 | Mahan, Brian R. | 399 |
| Castronova, Jeffrey L. | 175 | McEvoy, Thomas J. | 96 |
| Clifford, Hugh F. | 123 | McMahon, Robert F. | 218 |
| Conn, J. S. | 310 | McNab, W. Henry | 204 |
| Cooper, C. M. | 149 | Merchant, Henry | 231 |
| Cort, Robin | 262 | Metzgar, Lee H. | 26 |
| Danner, Charles R. | 196 | Miglietta, Alexandra | 66 |
| Day, Frank P., Jr. | 83 | Mock, Orin B. | 339 |
| Day, Jonathan F. | 333 | Montague, Katherine A. | 83 |
| Dewsbury, Donald A. | 66 | Muller, W. H. | 88 |
| Dickinson, David B. | 180 | Nilsen, Erik T. | 88 |
| Eastman, Joseph T. | 133 | Payne, Barry S. | 218 |
| Edwards, M. Boyd, Jr. | 204 | Polley, Ann Randolph | 106 |
| Fisher, Martha | 262 | Price, Phyllis K. | 73 |
| Flehart, Eugene D. | 191 | Retallack, John T. | 123 |
| Foster, Margaret Mead | 106 | Rollwagen, J. | 185 |
| Foti, Thomas | 298 | Ross, Martha J. | 209 |
| Gates, Donna M. | 407 | Scheck, Stephen H. | 191 |
| Gates, J. Edward | 407 | Schlesinger, William H. | 114 |
| Gholz, H. L. | 251 | Schmid, Frederick C. | 1 |
| Gibbons, J. Whitfield | 412 | Schuette, Gretchen | 322 |
| Glanville, Jill | 412 | Scudder, G. G. E. | 385 |
| Groves, John D. | 202 | Seneca, Ernest D. | 238 |
| Grow, Linda | 231 | Sharik, Terry L. | 96 |
| Hasey, Mavis M. | 114 | Shure, Donald J. | 59 |
| Hawk, Glenn M. | 280 | Sims, Steven R. | 375 |
| Hergenrader, Gary L. | 404 | Smith, David Wm. | 96 |
| Hobbs, Russell P. | 15 | | |

| | | | |
|--------------------------|-----|-------------------------|-----|
| Smith, Susan M. | 346 | Ultich, Gordon R. | 209 |
| Spence, D. Hughes | 385 | Vitousek, Peter M. | 106 |
| Spence, J. R. | 385 | Voss, Robert | 262 |
| Spencer, Stephen R. | 32 | | |
| Stainken, D. | 185 | Weaver, T. | 392 |
| Stickel, Lucille F. | 1 | Wentworth, T. R. | 310 |
| Stickel, William H. | 1 | | |
| Stone, Charles P. | 196 | Yahner, Richard H. | 409 |
| Stroud, Linda M. | 238 | Young, Allen M. | 155 |
| Turner, Melvin | 262 | Zobel, Donald B. | 280 |

Subject Index

| | | | |
|--|-----|--|-----|
| <i>Agelaius phoeniceus</i> , flocking | 196 | Cambarus diogenes, burrow habitat | 231 |
| Alabama, temperature and sub- strate influence on snails | 209 | <i>Chamaecyparis lawsonia</i> , environment | 280 |
| Alberta, periodicity of crustaceans | 123 | Climate, relation to range of <i>Serenoa repens</i> | 204 |
| <i>Ambrosia artemisiifolia</i> , effects on nutrient structure | 106 | vegetation types and | 392 |
| <i>Ambrosia, bidentata</i> and <i>B. tri-</i> <i>fidata</i> , hybrids | 180 | Competition, rodent | 47 |
| Amphibians, activity in forest | 412 | Costa Rica, cicadas | 155 |
| population dynamics of parasite in <i>Notophthalmus</i> | 360 | floral biology of <i>Markea</i> <i>neurantha</i> | 262 |
| predation on toad | 203 | <i>Cryptotis parva</i> , reproductive behavior | 339 |
| Arkansas, prairie | 298 | | |
| Behavior, climbing in rodents | 66 | Diatoms, fossil | 322 |
| coyote | 399 | Diocism, in the Carolinas | 310 |
| feeding in dace | 185 | | |
| flocking in red-winged blackbirds | 196 | Ecology, animal, amphibians in forest | 412 |
| reproduction in <i>Cryptotis</i> | 339 | black rat snake | 1 |
| response to warning coloration | 346 | burrow use by red squirrel | 409 |
| submergence on <i>Gerris</i> | 385 | cicada | 155 |
| subterranean behavior of <i>Spermophilus</i> | 191 | demographic studies of rodents | 47 |
| Biogeography, distribution of white perch | 404 | diapause in <i>Papilio</i> | 375 |
| range of <i>Serenoa repens</i> | 204 | energy flow in fiddler crabs | 238 |
| Biomass, below ground in swamp | 83 | helminths in pikas | 15 |
| Birds, diet selection in <i>Calypte</i> <i>anna</i> | 175 | parasites on <i>Glaucomys</i> | 333 |
| flocking of red-winged blackbirds | 196 | periodicity of crustaceans | 123 |
| response to warning coloration | 346 | population dynamics of parasites | 360 |
| <i>Bothrioccephalus rarus</i> , population dynamics | 360 | populations of <i>Peromyscus</i> | 26 |
| British Columbia, submergence behavior in <i>Gerris</i> | 385 | prawn populations | 401 |
| <i>Bufo americanus</i> , predation on | 202 | predation on toads | 202 |
| | | reproductive behavior of <i>Cryptotis</i> | 339 |
| California, diet selection in <i>Calypte</i> | 175 | response to warning coloration | 346 |
| gynodioecious breeding system in <i>Plantago</i> | 269 | small mammals in loblolly pine plantations | 59 |
| nutrient content in chaparral | 114 | submergence behavior in <i>Gerris</i> | 385 |
| <i>Papilio</i> diapause and host plants | 375 | temperature and substrate influence on snails | 209 |
| summer deciduousness in <i>Lotus scoparius</i> | 88 | thermal tolerance in snails | 218 |
| <i>Calypte anna</i> , diet selection | 175 | urban coyote | 399 |
| | | vole population response | 32 |
| | | Ecology, plant, Appalachian oak forest | 96 |
| | | biomass in swamp | 83 |
| | | environment in <i>Chamaecyparis</i> | 280 |
| | | floral biology of pollination | 262 |

| | | | |
|--|-----|--|-----|
| fossil diatoms | 322 | deciduousness | 88 |
| nutrient content of precipita- tion in chaparral | 114 | Mammals, climbing behavior of | |
| nutrient cycling in old field .. | 106 | rodents | 66 |
| prairie composition and | | coyote behavior | 399 |
| production | 298 | genic relationships in | |
| productivity of <i>Juniperus</i> | 251 | <i>Peromyscus</i> | 73 |
| summer deciduousness in <i>Lotus</i> .. | 88 | helminths in pikas | 15 |
| vegetation and climate | 392 | <i>Microtus</i> food cache | 407 |
| vegetation changes due to 2,4-D .. | 32 | parasites on <i>Glaucmys</i> | 333 |
| <i>Elaphe obsoleta</i> , ecology | 1 | <i>Peromyscus</i> populations | 26 |
| Energy flow, in salt marsh | 238 | populations in loblolly pine | |
| Evolution, patterns of dioecism | 310 | plantations | 59 |
| Finland, zooplankton migration .. | 316 | red squirrel burrow | 409 |
| Fish, blacknose dace, parasites | | reproductive behavior of | |
| and feeding | 185 | <i>Cryptotis</i> | 339 |
| caudal skeleton | 133 | subterranean behavior in | |
| distribution of white perch | 404 | <i>Spermophilus</i> | 191 |
| Florida, biology of <i>Gopherus</i> | 353 | vole population response | 32 |
| prawn populations | 401 | Marine, zooplankton | 316 |
| Fungi, monocaryotic fruiting in | | <i>Markea neurantha</i> , floral biology .. | 262 |
| <i>Schizophyllum</i> | 367 | Maryland, ecology of black rat | |
| Georgia, small mammals in | | snake | 1 |
| loblolly pine plantations | 59 | predation on toad | 202 |
| Genetics, gynodioecious breeding | | Michigan, fossil diatom | 322 |
| in <i>Plantago lanceolata</i> | 269 | <i>Microtus pennsylvanicus</i> , food | |
| variation in <i>Peromyscus</i> | 73 | cache | 407 |
| <i>Gerris</i> spp., underwater basking .. | 385 | Minnesota, red squirrel burrows .. | 409 |
| <i>Glaucmys volans</i> , parasites | 333 | Mississippi, effects of thermal | |
| <i>Goniobasis</i> spp., temperature and | | stratification on benthic | |
| substrate | 209 | macroinvertebrates | 149 |
| <i>Gopherus polyphemus</i> , reproduc- tive biology | 353 | Missouri, reproductive behavior | |
| Herbicides, effect of vegetational | | of <i>Cryptotis</i> | 339 |
| changes due to 2,4-D on vole | | Montana, <i>Peromyscus</i> populations .. | 26 |
| populations | 32 | <i>Morone americana</i> , distribution .. | 404 |
| Illinois, hybrids in <i>Ambrosia</i> | 180 | Nebraska, coyote behavior | 399 |
| Indiana, effects of ragweed on | | distribution of white perch | 404 |
| nutrient cycling | 106 | New York, blacknose dace | |
| Insects, biology of Hydropsychidae | | parasites and feeding | 185 |
| diapause and host plants in | | parasites on <i>Glaucmys</i> | 333 |
| <i>Papilio</i> | 375 | North Carolina, energy flow in | |
| habitat and seasonal relation- ships of cicadas | 155 | fiddler crabs | 238 |
| submergence behavior in <i>Gerris</i> .. | 385 | <i>Notophthalmus viridescens</i> , | |
| Invertebrates (other than | | parasite populations in | 360 |
| insects), benthic macro- invertebrates | 149 | Nutrient cycling, chaparral | 114 |
| burrows of crayfish | 231 | old field | 106 |
| energy flow in fiddler crabs | 238 | <i>Ochotona collaris</i> and <i>O. prin-</i> <i>ceps</i> , helminths in | 15 |
| periodicity of crustaceans | 123 | Ohio, flocking in red-winged | |
| prawn populations | 401 | blackbirds | 196 |
| temperature and substrate | | vole populations | 32 |
| influence on snails | 209 | Oregon, production of <i>Juniperus</i> .. | 251 |
| thermal tolerance in snails | 218 | <i>Palaemonetes paludosus</i> , | |
| <i>Juniperus occidentalis</i> , | | population | 401 |
| productivity | 251 | Paleoecology, fossil diatoms | 322 |
| Lakes, fossil diatoms | 322 | <i>Papilio zelicaon</i> , diapause and | |
| <i>Lotus scoparius</i> , summer | | host plant | 375 |
| | | Parasites, ectoparasites on dace .. | 185 |
| | | helminths in pikas | 15 |
| | | siphonapteran on <i>Glaucmys</i> .. | 333 |
| | | <i>Peromyscus gossypinus</i> and | |

| | | | |
|--|-----|---|-----|
| <i>P. leucopus</i> , genic relationships | 73 | crabs | 238 |
| <i>Physa virgata</i> , thermal tolerance | 219 | <i>Serenoa repens</i> , range | 204 |
| Physiology, animal, effects of | | <i>Sigmondon hispidus</i> , demographic study | 47 |
| thermal stratification on | | in loblolly pine plantations | 59 |
| benthic macroinvertebrates .. | 149 | South Carolina, amphibians in | |
| temperature influence in snails | 209 | forest | 412 |
| thermal tolerance in snails | 218 | <i>Spermophilus tridecemlineatus</i> | |
| <i>Plantago lanceolata</i> , breeding | | subterranean behavior | 191 |
| system | 269 | Streams, biology of Hydro- | |
| Pollination, by bats | 262 | psychidae | 167 |
| Populations, demographic studies | | crustaceans in a saline stream .. | 123 |
| of rodents | 47 | Structure, of <i>Juniperus</i> | |
| dispersion and numbers in | | <i>occidentalis</i> stands | 251 |
| <i>Peromyscus</i> | 26 | vegetative in oak forest | 96 |
| dynamics of parasite | 360 | Systematics, animal, Catostomidae | 133 |
| parasites on <i>Glaucmys</i> | 333 | Systematics, plant, gynodioecious | |
| prawn | 401 | breeding in <i>Plantago</i> | 269 |
| small mammals | 59 | hybrids in <i>Ambrosia</i> | 180 |
| vole response | 32 | <i>Tamiasciurus hudsonicus</i> , burrow | |
| Prairie, composition and | | use | 409 |
| production | 298 | Texas, demographic studies of | |
| crustaceans in stream | 123 | rodents | 47 |
| Predation, on toads | 202 | thermal tolerance in snails | 218 |
| Productivity, of <i>Juniperus</i> | 251 | <i>Uca</i> spp., energy flow in salt | |
| of prairie | 298 | marsh | 238 |
| <i>Reithrodontomys fulvescens</i> , | | Utah, biology of Hydropsychidae | 167 |
| demographic study | 47 | Vegetation, climate and | 392 |
| Reproduction, behavior in | | Virginia, Appalachian oak forest | 96 |
| <i>Cryptotis</i> | 339 | biomass in swamp | 83 |
| <i>Gopherus</i> | 353 | West Virginia, population | |
| monokaryotic fruiting | 367 | dynamics of parasite | 360 |
| Reptiles, ecology of black rat | | Wisconsin, monokaryotic fruiting | |
| snake | 1 | in <i>Schizophyllum</i> | 367 |
| reproductive biology of | | Zooplankton, vertical migration .. | 316 |
| <i>Gopherus</i> | 353 | | |
| Salt marsh, energy flow in fiddler | | | |

The American Midland Naturalist

Founded by J. A. Nieuwland, C.S.C.

Editor
Robert P. McIntosh

ASSOCIATE EDITORS

| | |
|--|----------------------------|
| Kraig Adler, Ithaca, New York..... | Herpetology |
| Norman L. Christensen, Durham, North Carolina..... | Plant Ecology |
| Gary L. Cunningham, Las Cruces, New Mexico..... | Plant Physiology |
| Martin Daly, Hamilton, Ont., Canada..... | Animal Behavior |
| Melinda F. Denton, Seattle, Washington..... | Systematic Botany |
| Gerald W. Esch, Winston-Salem, North Carolina..... | Parasitology |
| Frances C. James, Tallahassee, Florida..... | Animal Ecology |
| Nancy Lorimer, St. Paul, Minnesota..... | Genetics and Cytology |
| Rosemary J. Mackay, Toronto, Ont., Canada..... | Limnology and Hydrobiology |
| Bertram G. Murray, Jr., New Brunswick, New Jersey..... | Ornithology |
| R. L. Pardy, Lincoln, Nebraska..... | Invertebrate Zoology |
| J. Mark Scriber, Madison, Wisconsin..... | Entomology |
| Gerald E. Svendsen, Athens, Ohio..... | Mammalogy |
| James D. Williams, Washington, D.C..... | Ichthyology |

Vol. 104, 1980
(July, October)

Dates of Publication
No. 1 August 28, 1980
No. 2 November 12, 1980

PUBLISHED BY THE UNIVERSITY OF NOTRE DAME
NOTRE DAME, INDIANA

CONTENTS

No. 1 July, 1980

| | |
|---|-----|
| Movement Patterns of Radio-tagged Opossums in Wisconsin..... | 1 |
|Laurence N. Gillette | |
| Natural History of the Southeastern Shrew, <i>Sorex longirostris</i> Bachman..... | 13 |
|Thomas W. French | |
| Use of Substrate for Surveillance Behaviors in a Community of Talus Slope Mammals..... | 32 |
|Robin W. Tyser | |
| The Effect of Soil Texture on Distribution of Pine Voles in Pennsylvania Orchards..... | 39 |
|Alan R. Fisher and Robert G. Anthony | |
| Population Parameters and Colony Composition of Beaver (<i>Castor canadensis</i>) in Southeast Ohio..... | 47 |
|Gerald E. Svendsen | |
| Albumin Evolution within New World Squirrels (Sciuridae)..... | 57 |
|L. Scott Ellis and Linda R. Maxson | |
| Effects of Varying Food Concentrations on Reproduction in <i>Diaptomus clavipes</i> Schacht..... | 63 |
|John D. Cooney and Carl W. Gehrs | |
| Differences in the Distribution of Some Bog Diatoms: A Cluster Analysis..... | 70 |
|Mary G. Bruno and Rex L. Lowe | |
| The Effect of Island Size, Distance and Epicenter Maturity on Colonization in Freshwater Protozoan Communities..... | 80 |
|Michael S. Henebry and John Cairns, Jr. | |
| The Effects of a Sublethal Dose of Copper Sulfate on the Colonization Rate of Freshwater Protozoan Communities..... | 93 |
|John Cairns, Jr., Katherine M. Hart and Michael S. Henebry | |
| Hypolimnetic Metabolism in Three Cape Cod Lakes..... | 102 |
|Peter H. Rich | |
| Phenology and Distribution of Aquatic Dance Flies (Diptera: Empididae) in a Laurentian Watershed..... | 110 |
|P. P. Harper | |
| The Role of the Preadult Stages in the Ecological Separation of Two Subspecies of <i>Aedes aegypti</i> | 118 |
|Stephen H. Saul, Robert J. Novak and Quentin E. Ross | |
| Life History Relationships Between the Bopyrid Isopod <i>Probopyrus pandalicola</i> and One of Its Freshwater Shrimp Hosts <i>Palaeomonetes paludosus</i> | 135 |
|J. Thomas Beck | |
| Evolutionary Reversal in <i>Mylagaulus</i> (Mammalia, Rodentia) from the Late Miocene of Florida..... | 155 |
|Jon A. Easkin | |
| Estimating Net Shoot Production by a Hierarchical Cohort Method of Herbaceous Plants Subject to High Mortality..... | 163 |
|Stephen R. Carpenter | |
| Treefalls and Colonization Patterns of Temperate Forest Herbs..... | 176 |
|John N. Thompson | |
| Notes and Discussion | |
| Morphological Variability of Ants on and Around Devils' Tower..... | 185 |
|Ruth A. Bernstein | |
| Flight Speeds of Some Tropical Forest Bats..... | 189 |
|Douglas W. Morrison | |
| Differential Mortality in the Sexes of the Aleutian Gray-crowned Rosy Finch..... | 193 |
|Daniel F. Shreeve | |
| Dispersal of Rainbow Smelt, <i>Osmerus mordax</i> , into the Upper Mississippi River (Pisces: Osmeridae)..... | 198 |
|Brooks M. Burr and Richard L. Mayden | |
| Feeding Chronology and Diet Composition of Two Darters (<i>Percidae</i>) in the Iroquois River System, Illinois..... | 202 |
|Lynn E. Cordes and Lawrence M. Page | |
| Rediscovery of the Gilt Darter (<i>Percina evides</i>) in the White River, Indiana..... | 207 |
|Daniel Margulies, Orville S. Burch and Byron F. Clark | |

CONTENTS

No. 2, October, 1980

| | |
|--|-----|
| Intrastand Distribution Patterns of Southern Appalachian Cove Forest Herbaceous Species..... | 209 |
|David J. Hicks | |

| | | |
|--|---|-----|
| The Forest Vegetation at Higher Altitudes in the Chiricahua Mountains, Arizona..... | David A. Sawyer and Thomas B. Kinraide | 224 |
| Ecological Relationships of Bristlecone Pine..... | R. S. Beasley and J. O. Klemmedson | 242 |
| Phenological Patterns Among Tallgrass Prairie Plants and Their Implications for Pollinator Competition..... | Roger C. Anderson and Stephen Schelfhout | 253 |
| Recovery of an Appalachian Forest Following the Chestnut Blight or Catherine Keever—You Were Right!..... | J. Frank McCormick and Robert B. Platt | 264 |
| Distribution of Plants with Extrafloral Nectaries in Temperate Communities..... | Kathleen H. Keeler | 274 |
| Scent and Color, Floral Polymorphisms and Pollination Biology in <i>Polemonium viscosum</i> Nutt..... | Candace Galen and Peter G. Kevan | 281 |
| An Ethogram of Captive <i>Blarina brevicauda</i> | Irwin G. Martin | 290 |
| Aggregation of Lady Beetles on the Shores of Lakes (Coleoptera: Coccinellidae)..... | Richard E. Lee, Jr. | 295 |
| Contiguous Allotopy of <i>Pardosa ramulosa</i> and <i>Pardosa tuoba</i> (Araneae: Lycosidae) in the San Francisco Bay Region, and Its Implications for Patterns of Resource Partitioning in the Genus..... | M. H. Greenstone | 305 |
| Thermal Tolerance of the Isopod <i>Lirceus brachyurus</i> (Crustacea: Isopoda)..... | Nicholas J. Cheper | 312 |
| Comparative Life History Tactics of the Sphaeriid Clam, <i>Musculium partumeium</i> (Say), from a Permanent and a Temporary Pond..... | C. M. Way, Daniel J. Hornbach and Albert J. Burky | 319 |
| Energetics of Feeding on Tree Sap by Ruby-throated Hummingbirds in Michigan..... | E. E. Southwick and A. K. Southwick | 328 |
| Aspects of the Life History of the Ozark Madtom, <i>Noturus albatel</i> , in Southeastern Missouri (Pisces: Ictaluridae)..... | Richard L. Mayden, Brooks M. Burr and Sharon L. Dewey | 335 |
| Temperature-Dependent Development and Competitive Ability of Three Species in the <i>Drosophila affinis</i> Subgroup..... | James C. Fogleman and Bruce Wallace | 341 |
| Selected Aspects of the Larval Ecology of the Marbled Salamander <i>Ambystoma opacum</i> in the Southern Portion of Its Range..... | James W. Petranks and John G. Petranks | 352 |
| Notes and Discussion | | |
| The Reproductive Biology of <i>Tubifex tubifex</i> Muller (Annelida: Tubificidae)..... | Jerry L. Kaster | 364 |
| Disproportionate Sex Ratio in the Big Brown Bat (<i>Eptesicus fuscus</i>)..... | Allen Kurta and John O. Matson | 367 |
| Effect of Heat on Germination of Seeds from Serotinous Lodgepole Pine Cones..... | Allan K. Knapp and Jay E. Anderson | 370 |
| Competition, Body Size and the Relative Energy Balance of Adult Tiger Beetles (Coleoptera: Cicindelidae)..... | David L. Pearson and Sherry L. Stemberger | 373 |
| A Bisexual Blue Crab, <i>Callinectes sapidus</i> Rathbun, from the Chesapeake Bay..... | David G. Cargy | 378 |
| Variation in Form and Growth Rate of Engelmann Spruce at Tree Line..... | Martha L. Davis | 383 |
| Growth Rates of Aggressive and Docile Voles, <i>Microtus townsendii</i> | Terry D. Beacham and Charles J. Krebs | 387 |
| Two Natural Darter Hybrids Involving Members of the Genus <i>Atheostoma</i> (Pisces: Percidae)..... | Richard L. Mayden and Brooks M. Burr | 390 |
| The Rainbow Smelt, <i>Osmerus mordax</i> , in the Lower Mississippi River Near St. Francisville, Louisiana..... | Royal D. Suttkus and John V. Conner | 394 |
| A Simple Plankton Sampler for Use in Shallow Water..... | Patricia M. Ellsworth | 395 |

| | |
|--|-----|
| The Effects of Trapping Design on Demographic Estimates in the Meadow Vole, <i>Microtus pennsylvanicus</i> | |
|Carolyn B. Renzulli, James F. Flowers and Robert H. Tamarin | 397 |
| Continued Diminished Prevalence of the Lucké Renal Adenocarcinoma in Minnesota Leopard Frogs..... | |
|Robert G. McKinnell, Eville Gorham and Frank B. Martin | 402 |
| Downstream Drift of the Mayfly <i>Baetis flavistriga</i> as a Passive Phenomenon..... | |
|Gene R. Ploskey and Arthur V. Brown | 405 |
| An Occurrence of High Behavioral Drift for a Stream Gastropod..... | |
|Paul C. Marsh | 410 |
| Temperature Selection by the Darters <i>Etheostoma spectabile</i> and <i>Etheostoma radiosum</i> (Pisces: Percidae)..... | |
|Loren G. Hill and William J. Matthews | 412 |
| Statement of Ownership..... | 416 |

Author Index

| | | | |
|-----------------------------|---------------|---------------------------|---------------|
| Anderson, J. E. | 370 | Hornback, Daniel J. | 319 |
| Anderson, Roger C. | 253 | Kaster, Jerry L. | 364 |
| Anthony, Robert G. | 39 | Keeler, Kathleen H. | 274 |
| Baskin, Jon A. | 155 | Kevan, Peter G. | 281 |
| Beacham, Terry D. | 387 | Kinraide, Thomas B. | 224 |
| Beasley, R. S. | 242 | Klemmedson, J. O. | 242 |
| Beck, J. Thomas | 135 | Knapp, Allan K. | 370 |
| Bernstein, Ruth A. | 185 | Krebs, Charles J. | 387 |
| Brown, Arthur V. | 405 | Kurta, Allen | 367 |
| Bruno, Mary G. | 70 | Lee, Richard E. | 295 |
| Burch, Orville S. | 207 | Lowe, Rex L. | 70 |
| Burky, Albert J. | 319 | Margulies, Daniel | 207 |
| Burr, Brooks M. | 198, 335, 390 | Marsh, Paul C. | 410 |
| Cairns, John, Jr. | 80, 93 | Martin, Frank B. | 402 |
| Cargo, David G. | 378 | Martin, Irwin G. | 290 |
| Carpenter, Stephen R. | 163 | Matson, John O. | 367 |
| Cheper, Nicholas J. | 312 | Matthews, William J. | 412 |
| Clark, Byron F. | 207 | Maxson, Linda R. | 57 |
| Conner, John V. | 394 | Mayden, Richard L. .. | 198, 335, 390 |
| Cooney, John D. | 63 | McCormick, J. Frank | 264 |
| Cordes, Lynn E. | 202 | McKinnell, Robert G. | 402 |
| Davis, Martha L. | 383 | Morrison, Douglas W. | 189 |
| Dewey, Sharon L. | 335 | Novak, Robert J. | 118 |
| Ellis, L. Scott | 57 | Page, Laurence M. | 202 |
| Ellsworth, Patricia M. | 395 | Pearson, David L. | 373 |
| Fisher, Alan R. | 39 | Petranka, James W. | 352 |
| Flowers, James F. | 397 | Petranka, John G. | 352 |
| Fogleman, James C. | 341 | Platt, Robert B. | 264 |
| French, Thomas W. | 13 | Ploskey, Gene R. | 405 |
| Galen, Candace | 281 | Renzulli, Carolyn B. | 397 |
| Gehrs, Carl W. | 63 | Rich, Peter H. | 102 |
| Gillette, Laurence N. | 1 | Ross, Quentin E. | 118 |
| Gorham, Eville | 402 | Saul, Stephen H. | 118 |
| Greenstone, M. H. | 305 | Sawyer, David A. | 224 |
| Harper, P. O. | 110 | Schellhout, Stephen | 253 |
| Hart, Katherine M. | 93 | Shreeve, Daniel F. | 193 |
| Henebry, Michael S. | 80, 93 | Southwick, A. K. | 328 |
| Hicks, David J. | 209 | Southwick, E. E. | 328 |
| Hill, Loren H. | 412 | | |

| | | | |
|----------------------------|-----|------------------------|-----|
| Stemberger, Sherry L. | 373 | Thompson, John N. | 176 |
| Suttkus, Royal D. | 394 | Tyser, Robin W. | 32 |
| Svendsen, Gerald E. | 47 | | |
| Tamarin, Robert H. | 397 | Wallace, Bruce | 341 |
| | | Way, C. M. | 319 |

Subject Index

| | | | |
|---|--------|--|-----|
| <i>Aedes aegypti</i> , larval fitness | 118 | <i>Drosophila</i> sp., temperature-dependent development and competition | 341 |
| Alabama, larval ecology of <i>Ambystoma</i> | 352 | Ecology, animal, competition in <i>Drosophila</i> | 341 |
| Alaska, differential mortality of birds | 193 | effects of copper sulfate on protozoans | 93 |
| Algae, bog diatoms | 70 | effects of soil texture on voles | 39 |
| <i>Ambystoma opacum</i> , larval ecology | 352 | ethogram of <i>Blarina brevicauda</i> | 290 |
| Amphibians, larval ecology of <i>Ambystoma</i> | 352 | feeding and diet of darters | 202 |
| Lucké renal carcinoma in frogs | 402 | larval ecology of <i>Ambystoma</i> | 352 |
| Appalachian Mountains, cove forests | 209 | larval fitness in mosquitos | 118 |
| <i>Archilocus colubris</i> , feeding energetics | 328 | mortality in birds | 193 |
| Arizona, energy balance of tiger beetles | 373 | movement patterns of opossums | 1 |
| forests at high altitude | 224 | phenology and distribution of aquatic danceflies | 110 |
| Arkansas, downstream drift of mayfly | 405 | protozoan communities | 80 |
| <i>Baetis flavistriga</i> , downstream drift | 405 | surveillance behavior | 32 |
| Behavior, aggressive and docile voles | 387 | temperature selection by darters | 412 |
| ethogram of <i>Blarina caudata</i> | 290 | trapping design and demographic estimates | 397 |
| surveillance in mammals | 32 | Ecology, plant, bog diatoms | 70 |
| Birds, feeding in hummingbirds | 328 | bristlecone pine ecology | 242 |
| mortality | 193 | colonization of forest herbs | 116 |
| <i>Blarina brevicauda</i> , ethogram | 290 | cove forests | 209 |
| California, allotopy in <i>Pardosa</i> | 305 | high altitude forests | 224 |
| <i>Callinectes spaidus</i> , bisexual | 378 | prairie plant phenology and pollination | 253 |
| <i>Castanea dentata</i> , recovery of forest following blight | 264 | production of macrophytes | 163 |
| <i>Castor canadensis</i> , populations | 47 | recovery of forest following chestnut blight | 264 |
| Chiricahua Mountains, forest vegetation | 224 | <i>Endothia parasitica</i> , in Appalachian forests | 264 |
| Colonization, of protozoans | 80, 93 | Energetics, hummingbird | 328 |
| of forest herbs | 176 | <i>Epsteius fuscus</i> , sex ratio | 367 |
| Colorado, breeding system and pollination of <i>Polemonium viscosum</i> | 281 | <i>Etheostoma</i> , feeding and distribution | 202 |
| form and growth of Engelmann spruce | 383 | hybrids | 390 |
| Competition, in <i>Drosophila</i> | 341 | <i>E. spectabile</i> and <i>E. radiosum</i> -temperature selection | 412 |
| in tiger beetles | 373 | Evolution, fitness of mosquito larvae | 118 |
| Development, temperature-dependent in <i>Drosophila</i> | 341 | of New World squirrels | 57 |
| <i>Diaptomus clavipes</i> , reproduction | 63 | reversal in <i>Myiagaulus</i> | 155 |
| Diatoms, distribution in bogs | 70 | Extrafloral nectaries, in temperate communities | 274 |
| <i>Didelphis virginiana</i> , movement patterns | 1 | Feeding, darter | 202 |
| Drift, behavioral, of gastropod | 410 | hummingbird | 328 |
| downstream of mayfly | 405 | Fish, darter hybrids | 390 |
| | | dispersal of rainbow smelt | 198 |
| | | distribution of rainbow smelt | 394 |
| | | feeding of darters | 202 |
| | | life history of madtom | 335 |

| | | | |
|--|-----|---|-----|
| rediscovery of gilt darter in Indiana | 207 | flight speed of bats | 189 |
| temperature selection by darters | 412 | growth rates of voles | 387 |
| Florida, evolutionary relationship in <i>Mylagaulus</i> | 155 | movement of opossums | 1 |
| Fossils, <i>Mylagaulus classos</i> n. sp. | 155 | natural history of shrews | 13 |
| Genetics, darter hybrids | 390 | sex ratio of big brown bat | 367 |
| <i>Hippodamia convergens</i> and <i>H.</i> <i>tredecimpunctata</i> , aggregation on lake shore | 295 | surveillance behavior | 32 |
| Home range, opossum | 1 | trapping design and demo- graphic estimates | 397 |
| Idaho, lodgepole pine seed germination | 370 | Maryland, bisexual blue crab | 378 |
| Indiana, rediscovery of gilt darter | 207 | Massachusetts, ethogram of <i>Blarina brevicauda</i> | 290 |
| Insects, aggregations of lady beetles | 295 | hypolimnetic metabolism in lakes | 102 |
| aquatic danceflies, phenology and distribution | 110 | Michigan, hummingbird energetics | 328 |
| competition and development in <i>Drosophila</i> | 341 | sex ratio of big brown bat | 367 |
| downstream drift of mayfly | 405 | <i>Microtus pennsylvanicus</i> , demo- graphic estimates | 397 |
| energy balance of tiger beetles | 373 | <i>Microtus pinteorum</i> , effects of soil texture on | 39 |
| larval fitness in mosquitos | 118 | <i>Microtus townsendii</i> , growth rates | 387 |
| morphological variation of ants | 185 | Minnesota, aggregations of lady beetles | 295 |
| Invertebrates other than insects, allotopy, in <i>Pardosa</i> | 305 | Lucké renal adenocarcinoma in frogs | 402 |
| behavioral drift of gastropod | 405 | Missouri, life history of Ozark madtom | 335 |
| bisexual blue crab | 378 | <i>Musculium partumeium</i> , life history | 319 |
| bopyrid isopod on freshwater shrimp | 135 | <i>Mylagaulus classos</i> n. sp., evolu- tionary reversal | 155 |
| effects of food on reproduction in <i>Diaptomus</i> | 63 | Natural history, southeastern shrew | 13 |
| life history of clam | 319 | Nebraska, extrafloral nectaries | 274 |
| reproduction of <i>Tubifex</i> | 364 | Nevada, bristlecone pine ecology | 242 |
| thermal tolerance of isopod | 312 | <i>Noturus albater</i> , life history | 335 |
| Illinois, colonization of forest herbs | 176 | Ohio, beaver populations | 47 |
| dispersal of rainbow smelt | 198 | bog diatoms | 70 |
| feeding of darters | 202 | life history of clam | 319 |
| Lakes, aggregations of lady beetles | 295 | Oklahoma, temperature selection by darters | 412 |
| hypolimnetic metabolism | 102 | <i>Osmerus mordax</i> , dispersal in Mississippi River | 198 |
| macrophyte production | 163 | distribution | 394 |
| plankton sampler | 395 | <i>Palaemonetes paludosus</i> , relation- ship with parasite | 135 |
| <i>Leucosticte tephrocotis</i> griseonucha, differential mortality of sexes | 193 | Panama, flight speed of bats | 189 |
| Life history, clam | 319 | Parasites, bopyrid isopod on freshwater shrimp | 135 |
| Ozark madtom | 335 | chestnut blight | 64 |
| <i>Lirceus brachyurus</i> , thermal tolerance | 312 | <i>Pardosa ramulosa</i> and <i>P. tuoba</i> , allotopy | 305 |
| Louisiana, rainbow smelt | 394 | Pennsylvania, effects of soil texture on voles | 39 |
| Mammals, beaver populations | 47 | <i>Percina evides</i> , rediscovery in White River | 207 |
| effects of soil texture on voles .. | 39 | Phenology, of aquatic danceflies .. | 110 |
| ethogram of <i>Blarina brevicauda</i> .. | 290 | Physiology, animal, temperature- | |
| evolution of squirrels | 57 | | |

| | | | |
|--|-----|---|-----|
| dependent development in | | sex ratio of big brown bat | 367 |
| <i>Drosophila</i> | 341 | Resource partitioning, in <i>Pardosa</i> | 305 |
| temperature selection by darters | 412 | <i>Sorex longirostris</i> , natural history | 13 |
| thermal tolerance of isopods | 312 | Streams, behavioral drift of | |
| thermal tolerance of <i>Pardosa</i> | 305 | gastropod | 410 |
| Physiology, plant, form and | | downstream drift of mayfly | 405 |
| growth of Engelmann spruce | 383 | Systematics, animal, darter | |
| heat effect on seed germination | 370 | hybrids | 390 |
| <i>Picea engelmannii</i> , form and | | evolution of New World | |
| growth rate | 383 | squirrels | 57 |
| <i>Pinus contorta</i> , seed germination | 370 | Tennessee, cove forests | 209 |
| <i>Pinus longaeva</i> , ecological relationships | 242 | hybrid darters | 390 |
| Plankton, sampler | 395 | thermal tolerance of isopod | 312 |
| <i>Polemonium viscosum</i> , breeding | | Tolerance, thermal of isopod | 312 |
| system and pollination | 281 | <i>Tubifex tubifex</i> , reproduction | 364 |
| Pollination, <i>Polemonium viscosum</i> | 281 | Vegetation, bog diatoms | 70 |
| prairie plant phenology | 253 | bristlecone pine ecology | 242 |
| Population, beaver | 47 | colonization by forest herbs | 176 |
| effect of trapping design on | | cove forests | 209 |
| demographic estimates | 397 | extrafloral nectaries in tem- | |
| <i>Probopyrus pandalicola</i> , relation- | | perate communities | 274 |
| ship with host | 135 | high altitude forests | 224 |
| Production, estimation in macro- | | prairie plant phenology and | |
| phytes | 163 | pollination | 253 |
| Protozoans, colonization | 80 | production in macrophytes | 163 |
| effects of copper sulfate on | 93 | recovery of forest following | |
| Quebec, phenology and distri- | | chestnut blight | 264 |
| bution of aquatic danceflies | 110 | Virginia, forest recovery following | |
| <i>Rana pipiens</i> , Lucké renal adeno- | | chestnut blight | 264 |
| carcinoma in frogs | 402 | Wisconsin, movement of opossums | 1 |
| Reproduction, bisexual blue crab | 378 | production of macrophytes | 163 |
| effects of food on in <i>Diaptomus</i> | 63 | Wyoming, morphological | |
| of <i>Polemonium viscosum</i> | 281 | variation in ants | 185 |
| of <i>Tubifex tubifex</i> | 364 | | |